

2023年6月26日

お客様各位

コーニングインターナショナル株式会社
ライフサイエンス事業部**Corning® ピペット一部製品**
外箱・二次包装デザイン一部変更のご案内

拝啓 時下ますますご清栄のこととお喜び申し上げます。日頃より当社製品をご愛用いただき誠にありがとうございます。

さて、2021年9月21日にご案内しました Corning ピペットの一部製品の個別包装仕様変更に関して、外箱と二次包装のデザインが一部変更となりますのでご案内申し上げます。本変更に伴う製品の仕様や機能性に変更はございません。また製造中ならびに製造後の検査にも変更はございません。

敬具

記

変更内容

外箱と二次包装のデザインが一部変更（詳細は次項以降の画像を参照）

1. カタログ番号の前にREFマークを追加
2. “Sterile”表記を削除
3. その他下記内容を変更
 - A) 放射線滅菌済みを示す記号を追加
 - B) 一回のみの使用/再使用不可を示す記号を追加
 - C) ノンパイロジェニックを示す記号を追加
 - D) 製造拠点を示す記号を追加
 - E) 製造拠点の住所をニューヨーク州からメイン州に変更
 - F) トレードマークに関する情報とウェブサイトの記載を追加
 - G) 警告文を削除（二次包装のみ）
 - H) 輸送に関する記号3つを右上から右下へ移動（外箱のみ）

(変更例) 二次包装

上：変更前、下：変更後

Corning Incorporated
costar®


Contents sterile if package integrity is not compromised
For laboratory use only

WARNINGS

- Should this product be used with infectious or otherwise hazardous materials, those materials should be rendered harmless by sterilization or other suitable treatment prior to product disposal.
- Corning Incorporated does not recommend that you recycle products that have been used with hazardous material, hazardous waste, or biohazard items.
- These products are intended for use by persons knowledgeable in safe laboratory practices.

4501

50mL Stripette®
Disposable Serological Pipette
50mL in 5/10mL, Plugged
Non-Pyrogenic
Polystyrene
25/Bag, Individually Wrapped
Sterile



Corning Incorporated
 Corning, NY 14831
www.sciencereproducts.corning.com
 Made in USA

Corning Incorporated
costar®


50mL Stripette® Serological Pipet
 Plugged
 Non-Pyrogenic
 Polystyrene
 25/Bag


REF 4501

STERILE R

②



X

 Corning Incorporated
 2 Alfred Rd., Kennebunk, ME 04043 USA
www.corning.com/lifesciences
 For a listing of trademarks, visit us at
www.corning.com/lifesciences/trademarks
 ©2021 Corning Incorporated
 Made in USA



(変更例) 外箱

上：変更前、下：変更後



対象製品

カタログ 番号	製品名
4051	ストリペット5 mL個別包装 (プラスチック包装)
4101	ストリペット10 mL個別包装 (プラスチック包装)
4492	ストリペット10 mL個別包装 (プラスチック包装、ワイドチップタイプ)
4251	ストリペット25 mL個別包装 (プラスチック包装)
4501	ストリペット50 mL個別包装 (プラスチック包装)
4484	ストリペット100 mL個別包装 (プラスチック包装)

変更時期

カタログ番号 4251は2023年Q3製造分よりを予定、その他は変更完了済み

なお、本製品に関するお問合せは、弊社代理店営業ご担当者様または弊社営業担当までお願い申し上げます。

以上