

CORNING

Configurator Catalog and Quoting/Ordering Process

2016



Welcome to the Corning Configurator 2.0

This upgraded web-based ordering tool provides new functionality that will:

- 1) Establish dedicated customer account access
- 2) Allow you to place and manage your orders


After an account has been created for you to the new Corning Storefront and FlexNAP™ Configurator, you will be receiving two emails. The first will contain your Username, which is your email address. The second will contain your password. When you receive these emails, click on the link that appears in the email that states: **'To start shopping, please click here'**. (screenshot of correct link provided)



To start shopping, please click here:


<http://commerce.corning.com/corningstorefront/corning/en/USD>

Login screen will appear as follows:


A screenshot of the Corning login screen. The top left corner features the Corning logo, which consists of a blue square with the word "CORNING" in white. The main content area is a dark gray box with a white border. Inside this box, the text "Returning Customer" is displayed in a large, bold, white font. Below this, the instruction "Please sign in using your username and password" is written in a smaller white font. There are two white input fields: the first is labeled "USERNAME" and the second is labeled "PASSWORD". Below the password field, there is a link that says "Forgotten your password?". At the bottom right of the dark gray box, there is a blue button with the word "Login" in white. The background of the entire page is a light gray color with a faint, stylized world map.

After you log in for the first time, you can change your password. Follow these steps. Your password must include at least one uppercase letter, one lowercase letter, one number and one special character. (8 total characters)

❖ **At the top of the screen in the user menu, click on 'My Account'**



❖ **In the following screen under 'Profile,' click on 'Change your password'**



- ❖ Enter your (1)'Current Password' located in the password email, (2)'New Password,' and (3)'Confirm New Password' – then click (4)'Update Password'



Welcome | My Account | My Design Areas | Contact Us | Sign Out

I'm looking for

Advanced Search

English

Terminals | OptiTip® Assemblies | OptiTap® Assemblies | Fiber Optic Hardware | Closures

Home / My Account / Update Password

My Account

Update Password

My Account
Profile
Address Book
Order Tracking

Please use this form to update your account password

Fields marked * are required

1

Current Password *

2

New Password *

Minimum length is 8 characters

3

Confirm New Password *

4

Now that your account has been established, let's walk through the many features of the storefront home page.

Below is an example of the entire page. We will break them down in the following slides.



Design Areas



FlexNAP™ Systems

Corning's FlexNAP™ System revolutionized FTTH networks by providing a reliable product that drastically reduced installation time, and the product is still widely used in FTTH networks today.

At the top of the page, you have the User Menu, which includes the following:

Welcome Lanie | My Account | My Design Areas | Contact Us | Sign Out | your shopping cart 0

❖ My Account:

- In this section, you will be able to update your profile, view your address book (if you are a Corning direct account), and track any orders that have been placed with Corning.

My Account

My Account
Profile
Address Book
Order Tracking

❖ My Design Areas:

- In this section, you will be able to view the design areas you created and select one to view, edit, and/or delete.

My Design Areas

View your design areas

197 Design Areas found

Show paginated

Key	Project ID	Description	Account	Action
PRJ00017143	Sheik August 24 Test	Sheik August 24 Testing	CORNING OPTICAL COMMUNICATIONS LLC	View
PRJ00017144	Raj-test-24-Aug	Raj-test-24-Aug	CORNING OPTICAL COMMUNICATIONS LLC	View
PRJ00017143	Sheik August 24 Test	Sheik August 24 Testing	CORNING OPTICAL COMMUNICATIONS LLC	View
PRJ00017128	prj111	18cabletest	CORNING OPTICAL COMMUNICATIONS LLC	View

❖ Contact Us:

- This section will allow you to send inquires to Corning concerning the following topics:
 - Technical support
 - Design area
 - Product information
 - Website
- Also feel free to use the phone number or email address on the right side of the page to contact Corning at any time.

Fields marked* are required

From :

Lanie Crisp

Subject *

Please select...

- Please select...
- Technical Support
- Design Area
- Product Information
- Website

SEND

Phone

Telephone

(828) 901-5000

From the USA and Canada

Call toll-free (800) 743-2675

Email

ccsamericas@corning.com

- NOTE: For the customer admin, there is a separate user manual that will guide the user to set up accounts and assign the appropriate user roles. This allows the functionality to design, upload, quote, and/or purchase.

❖ In the top left of your home page will be the blue Corning square box. This is the 'Home' button and will direct the user back to the storefront from any page they are currently on.

❖ Located directly below the Home button, you will find the Catalog menu. From this menu, you can select a product category and be directed to the 'Product Selection Page' to drill down your search to a more specific product.

Terminals OptiTip® Assemblies OptiTap® Assemblies Fiber Optic Hardware Closures

Terminals OptiTip® Assemblies OptiTap® Assemblies Fiber Optic Hardware Closures

Home / Terminals

Filter By

Fiber Category

Single-mode (OS2) (10)

Number of Ports

12 (205)

2 (78)

4 (262)

6 (227)

8 (186)

Packaging

Bulk Packaging (157)

Individual Packaging (260)

Preconnectorized "Stubbed"

Hardware

No (29)

Yes (8)

Units per Delivery

12/31 (3)



MultiPort Terminals



MultiPorts, MF12, Stubbed



UltraNAP™ Terminals

❖ After arriving in the Product Selection page, you have the option to either click the picture of the product you are inquiring about or if you are unsure, you can define your search even further by utilizing the product filters to the left of the screen.

- ❖ After making your choice in the Product Selection page, you will be directed to the Product List page. There will be two options to search for the specific part number(s) you are looking for. (1) 'Select Variants' or (2) Specific Part Number, and 'Add to Cart'

Terminals OptiTip® Assemblies OptiTap® Assemblies Fiber Optic Hardware Closures

Home / Terminals / Multiport Terminals

Filter By 1,997 Products found Sort by: Relevance 1 2 3 4 5 >

Fiber Category

- Single-mode (OS2) (4)

Number of Ports

- 12 (192)
- 2 (78)
- 4 (260)
- 6 (225)
- 8 (181)

Packaging

- Bulk Packaging (157)
- Individual Packaging (254)

Preconnectorized "Stubbed"

- Yes (4)

Hardware

- Yes (4)

OptiSheath® MultiPort Terminal, Bulk Packaging

The OptiSheath® MultiPort Terminal is designed for use in outside plant fiber access networks. This innovative terminal provides sealed environmental protection and fast, easy incremental connection of subscriber drop cables while increasing deployment velocity. Its reliability and flexibility make ...

Select variants

OptiSheath® MultiPort Terminal, Individual Packaging

The OptiSheath® MultiPort Terminal is designed for use in outside plant fiber access networks. This innovative terminal provides sealed environmental protection and fast, easy incremental connection of subscriber drop cables while increasing deployment velocity. Its reliability and flexibility make ...

Select variants

OptiSheath® MultiPort Terminal w/OptiTip® Jumper, 12 port, Single-mode (OS2), 550 ft

Part Number: MTB-1244FD550FW-P

The OptiSheath® MultiPort Terminal is designed for use in outside plant fiber access networks. This innovative terminal provides sealed environmental protection and fast, easy incremental connection of subscriber drop cables while increasing deployment velocity. Its reliability and flexibility make ...

Add to cart

- **Note:** At this point in the Product List page and further in the Product Display pages, the following types of customers will have these capabilities **(1)** Corning Contracted/Formal Quoted customers will have the ability to see their pricing located beside every product and place orders directly from the site **(2)** direct customers that do not have formal pricing will have the ability to request quotes directly from the site and **(3)** end users that purchase through distribution will have the ability to build a cart and send it to a Corning preferred distributor.

- ❖ By clicking on the 'Add to Cart' button directly from the Product List page, this product will automatically be populated in the Cart.
- ❖ By clicking the 'Select Variants' button, you will be directed to the Product Display page (below). You can also be directed to the Product Display page from the materials that have 'Add to Cart' by clicking on the short description of the product.
- ❖ The Product Display page will appear as follows. Here you can make part number selections based on your needs. For assistance building your part number, you can click on the Resources tab below the product description to view the family specification sheet.

CORNING

OptiSheath® MultiPort Flex Terminal, Individual Packaging

MPF- F-P

04
06
Part Number

Conn A Cable Type Length

The OptiSheath® MultiPort Flex Terminal is designed for use in outside plant fiber access networks. This innovative terminal provides sealed environmental protection and fast, easy incremental connection of subscriber drop cables while increasing deployment velocity. Its reliability and flexibility make it the ideal choice for outside plant und...

Show More

Product details Specifications **Resources**

Product Family Specification

OptiSheath® MultiPort Flex Terminal

- ❖ After making the part number selections, the following changes will take place:
 - The short description will be replaced with a detailed description
 - The part number will be displayed below the selections
 - If the user is a contract/formal quote customer, the pricing will be displayed **(pricing will update as part number is changed)**
 - The 'Add to Cart' button will appear
 - The Product details will populate

CORNING

OptiSheath® MultiPort Flex Terminal, OptiTap® non-pinned to OptiTip® non-pinned, 4 Port, 4.8 mm ClearCurve® Rugged Drop Cable, black jacket, - Individual Packaging

MPF- F-P
Fiber Count Conn A Cable Type Length

Part Number: XXX-XXXX-XXX \$ XXX.XX

Quantity **Add to cart**

The OptiSheath® MultiPort Flex Terminal is designed for use in outside plant fiber access networks. This innovative terminal provides sealed environmental protection and fast, easy incremental connection of subscriber drop cables while increasing deployment velocity. Its reliability and flexibility make it the ideal choice for outside plant und...

[Show More](#)

Product details

Specifications

Resources

Part Number	MPF-0448M1R43F-P
Product Description	OptiSheath® MultiPort Flex Terminal, OptiTap® non-pinned to OptiTip® non-pinned, 4 Port, 4.8 mm ClearCurve® Rugged Drop Cable, black jacket, - Individual Packaging

- ❖ Once the user has completed their shopping and added all products to the cart, the cart can be reviewed by clicking on one of the following:
 - 'your shopping cart' in the top right corner of the page
 - Hover over the link to 'your shopping cart' and click the blue 'Checkout' button



- ❖ Inside the shopping cart, you have the following abilities:
 - View pricing (if the user is a formal priced customer)
 - Quantities can be updated
 - Products can be removed
 - The entire cart can be printed
 - If something was forgotten, you can Continue Shopping
 - Go to the Checkout

Please validate MOQs and Order Multiples prior to order submission

Print Cart

Checkout

Continue Shopping

Your Cart Cart ID: 0185026320

Item	Quantity
CORNING	1
OptiSheath® MultiPort Flex Terminal, OptiTap® non-pinned to OptiTip® non-pinned, 4 Port, 4.8 mm ClearCurve® Rugged Drop Cable, black jacket, - Individual Packaging Part Number: MPF-0448M1R43F-P	Remove

Print Cart

Checkout

Continue Shopping

NOTE: If the user is an end user, once the 'Checkout' button is clicked, the following message will be received.

You are not allowed to checkout. Print your cart and contact one of the Corning distributors listed [here](#) to order or to request a quote.

1 Purchase Order Details

P.O.No.

❖ The P.O. Field is a customer-specified number that cannot be duplicated. This is only mandatory for orders.

2 Delivery Address

17th Street N
800
Hickory
28801
United States

❖ The delivery address can be chosen by clicking the 'Enter Drop Ship Address' button below and then selecting 'Address Book' – This is only mandatory for orders.

Enter Drop Ship Address

I have read and agree with the Terms & Conditions *

❖ Check to agree to Corning's Standard Terms and Conditions.

Request Quote

❖ You will now be able to select the 'Request Quote' button and a request will be sent directly to Corning.

ENTER FURTHER NOTES RELATED TO THIS PURCHASE ORDER (E.G SHIPPING INSTRUCTIONS, QUOTE REASON E

❖ In this section, you will input any pertinent information to be viewed by Corning. Examples are:

Order onsite dates
Contact information
Shipping instructions

Due date of quote
Project information

Your Cart ID 0185026320

Product Details	Item Price	Quantity	UOM	Total
CORNING OptiSheath® MultiPort Flex Terminal, OptiTap® non-pinned to OptiTip® non-pinned, 4 Port, 4.8 mm ClearCurve® Rugged Drop Cable, black jacket, - Individual Packaging Part Number: MPF-0448M1R43F-P	\$0.00	1	Piece	\$0.00

❖ A summary of your cart details will be displayed.

❖ If you can view pricing, the 'Request Quote' button will no longer be an option and the 'Place Order' button (located at the top and bottom of the checkout) will be clickable.

Order Totals

Total: \$0.00

*No taxes and shipping are included in this total

I have read and agree with the Terms & Conditions *

Place Order

- ❖ For both the quoting and ordering process, after 'Request Quote' or 'Place Order' has been clicked, the user will be redirected to a confirmation page that will list the following, as well as receive a confirmation email:
 - ✓ Quote/order number
 - ✓ Time the request was submitted
 - ✓ Summary of products and pricing (if applicable)

Quote Request Confirmation

Thank you for your request. We are working on your quote.

A copy of your quote details has been sent to lanie.crisp@corning.com

Quote Details

Quote Number is 0185028572
 Placed on 8/25/16 6:57 PM
 The quote is Processing

Payment Method

Quote placed by: Mrs Lanie Crisp
 P.O. No:
 Invoice Payment

Delivery Address

17th Street NW
 800
 Hickory
 28601
 United States

Your Delivery Items

Product Details	Quantity	UOM	Item Price	Total
 OptiSheath® MultiPort Flex Terminal, OptiTap® non-pinned to OptiTip® non-pinned, 4 Port, 4.8 mm ClearCurve® Rugged Drop Cable, black jacket, - Individual Packaging MPF-0448M1R43F-P	1	Piece	\$0.00	\$0.00

Order Totals

Subtotal:	\$0.00
Total:	\$0.00

*No taxes and shipping are included in this total

❖ Confirmation email example for Quotes.



Dear Lanie,

Thank you for your quote request. Your quote has been submitted to Corning Customer Care for processing. This email contains a complete summary of your request and your assigned # is 0185026572. You'll receive a response within the next 24 hours.

Item	Quantity	UOM
CORNING OptiSheath® MultiPort Flex Terminal, OptiTap® non-pinned to OptiTip® non-pinned, 4 Port, 4.8 mm ClearCurve® Rugged Drop Cable, black jacket, - Individual Packaging MPF-0448M1R43F-P	1	Piece

If we can help you with any inquiry, please use our [Contact Us page](#), or contact our customer care team directly via phone (800) 743-2671 or email CCSAmericas@corning.com

Many Thanks,

Corning Customer Care

❖ Confirmation email example for orders.



Dear Lanie Crisp,

Thank you for your order. Your order acknowledgement # is **0185026593** and the total cost was \$489.56 This email contains a complete summary of your purchase and is currently awaiting processing.

Contact Corning Customer Care if you are unable to track your order in order tracker after 24 hours.

ITEM	ITEM PRICE	QUANTITY	UOM	TOTAL
 OptiSheath® MultiPort Terminal w/OptiTip® Jumper, 12 port, Single- mode (OS2), 125 m MTB- 1244FD125MW- P	\$489.56	1	Piece	\$489.56

Purchase Order Number

August 25 2016
Delivery Address

Corning Optical

800 17th Street NW
Hickory, NC 28601

ORDER SUMMARY

Total: \$489.56

*No taxes and shipping are included in the total
If you've registered an account with us, the details of your order can also be found on the [Order Tracker](#) site.

If we can help you with any inquiry, please use our [Contact Us](#) page, or contact our customer care team directly via phone (800) 743-2671 or email CCSAmericas@corning.com

Many Thanks,

Corning Customer Care

CORNING