Axygen[®] Storage Boxes and Microcentrifuge Tube Rack



Axygen Storage Boxes

Axygen Storage Boxes are ideal for sample storage. These polypropylene boxes are engineered to withstand the harsh environments necessary for daily workflows in your laboratory. This includes freezing temperatures at -80°C and autoclaving temperatures up to 121° C to ensure a lasting, durable product. The positive catch on the product anterior keeps the lid securely fastened, whereas the 3-point hinge functions to maintain its integrity during repeated use located on the product posterior. Sample identification can easily be assigned using the alpha-numeric indexing stamped on the inner perimeter of each box. The clear lids allow visibility when the lid is closed as this feature pairs well with our microcentrifuge tubes solution noted within the accessories section. Boxes are available in a variety of colors for coding samples and holds 100×1.5 to 2.0 mL tubes, cryogenic vials, or chromatography vials. A solid black box, including the lid, is available for light-sensitive samples $(142 \times 142 \times 55 \text{ mm})$.

Key Features

- ▶ Supports freezing at -80°C and autoclaving at 121°C
- ▶ Alpha-numeric sample identification
- ▶ 100 x 1.5 to 2.0 mL tube capacity

Axygen Microcentrifuge Tube Rack

Axygen Microcentrifuge Tube Rack is molded from durable, autoclavable polypropylene, and features non-skid rubber feet. The rack has two levels and exhibits wide spacing to provide prime sample access and visibility. Tube positions are numbered 1 to 20 for organizing samples (210 x 75 x 35 mm).

Key Features

- Step design allows easy access to tubes
- > 2 rows of 10 (20 x 1.5 to 2.0 mL total)









TR8300

TR8300-BLK



TR8300-B



TR8300-A



TR8210

Ordering Information

Axygen Microcentrifuge Tube Storage Boxes

Description	Qty/Cs
100 place microcentrifuge tube box, natural, 1.5 to 2.0 mL	5
100 place microcentrifuge tube box, opaque black, 1.5 to 2.0 mL	2
100 place microcentrifuge tube box, blue, 1.5 to 2.0 mL	5
100 place microcentrifuge tube box, multi-color pack, 1.5 to 2.0 mL	5
Microcentrifuge tube support rack, red, 20 x 1.5 to 2.0 mL	2
	100 place microcentrifuge tube box, natural, 1.5 to 2.0 mL 100 place microcentrifuge tube box, opaque black, 1.5 to 2.0 mL 100 place microcentrifuge tube box, blue, 1.5 to 2.0 mL 100 place microcentrifuge tube box, multi-color pack, 1.5 to 2.0 mL



All Axygen Microcentrifuge Tube Storage Boxes come with a strategically placed alpha-numeric manufactured stamp to easily distinguish sample identification.

Accessories

Axygen MaxyClear SnapLock Microcentrifuge Tubes

Axygen 1.5, 1.7, and 2.0 mL SnapLock microcentrifuge tubes are engineered to close with a snap and stay closed during centrifugation up to 14,000 RCF. The 1.7 mL microcentrifuge tubes are a copolymer material which offers exceptional strength and chemical resistance. All Axygen SnapLock microcentrifuge tubes have frosted cap surfaces for labeling, frosted panels on the side for writing, and a 0.28 mm piercing port in the center of the cap. Axygen MaxyClear microcentrifuge tubes are available in a variety of colors.

1.5 mL Homopolymer

1 /			
Cat. No.	Surface	Color	Quantity
MCT-150-C*	Standard	MaxyClear	500/pk, 10 pks/cs
MCT-150-L-C	Maxymum Recovery®	MaxyClear	250/pk, 10 pks/cs
MCT-150-C-S	Standard, sterile	MaxyClear	250/pk, 10 pks/cs
1.7 mL Copolymer			
MCT-175-C*	Standard	MaxyClear	500/pk, 10 pks/cs
MCT-175-L-C	Maxymum Recovery	MaxyClear	250/pk, 10 pks/cs
MCT-175-C-S	Standard, sterile	MaxyClear	250/pk, 10 pks/cs
2.0 mL Homopolyr	ner		
MCT-200-C*	Standard	MaxyClear	500/pk, 10 pks/cs
MCT-200-L-C	Maxymum Recovery	MaxyClear	250/pk, 10 pks/cs
MCT-200-C-S	Standard, sterile	MaxyClear	250/pk, 10 pks/cs

^{*}Tubes are also available in blue (B), red (R), yellow (Y), violet (V), orange (O), amber (X), and green (G).



Axygen Screw Cap Microcentrifuge Tubes

Axygen microcentrifuge tubes feature a screw cap that provides a tight, secure seal. Screw cap tubes are available in a variety of colors with a conical or self-standing bottom. Sterile options are also available. The maximum G-force is 20,000 RCF. They are RNase-/DNase-free and nonpyrogenic.

Tube with cap, sterile


All sterile screw cap microcentrifuge tubes are pre-assembled with non-looped caps with O-Rings.

Cat. No.	Volume (mL)	Style	Color	Quantity
SCT-150-C-S	1.5	Conical, sterile	Clear	100/bag, 5 bags/pk, 8 pks/cs
SCT-150-SS-C-S	1.5	Self-standing, sterile	Clear	100/bag, 5 bags/pk, 8 pks/cs
SCT-200-C-S	2.0	Conical, sterile	Clear	100/bag, 5 bags/pk, 8 pks/cs
SCT-200-SS-C-S	2.0	Self-standing, sterile	Clear	100/bag, 5 bags/pk, 8 pks/cs

Colored-cap versions are also available in sterile format.



,				
Cat. No.	Volume (mL)	Style	Color	Quantity
ST-150	1.5	Conical	Clear	500/pk, 8 pks/cs
ST-150-SS	1.5	Self-standing	Clear	500/pk, 8 pks/cs
ST-150-X	1.5	Conical	Amber	500/pk, 8 pks/cs
ST-150-SS-X	1.5	Self-standing	Amber	500/pk, 8 pks/cs
ST-200	2.0	Conical	Clear	500/pk, 8 pks/cs
ST-200-SS	2.0	Self-standing	Clear	500/pk, 8 pks/cs
ST-200-X	2.0	Conical	Amber	500/pk, 8 pks/cs
ST-200-SS-X	2.0	Self-standing	Amber	500/pk, 8 pks/cs



Cat. No.	Volume (mL)	Style	Color	Quantity
SCO-C*	0.5, 1.5, 2.0		Clear	500/pk, 8 pks/cs

*Caps are also available in blue (B), brown (BR), red (R), pink (P), grey (GR), white (W), violet (V), orange (O), yellow (Y), and green (G).







For more specific information on claims, visit the Certificates page at www.corning.com/lifesciences.

Warranty/Disclaimer: Unless otherwise specified, all products are for research use only. Not intended for use in diagnostic or therapeutic procedures. Corning Life Sciences makes no claims regarding the performance of these products for clinical or diagnostic applications.

For additional product or technical information, visit **www.corning.com/lifesciences** or call 800.492.1110. Outside the United States, call +1.978.442.2200 or contact your local Corning sales office.

CORNING

Corning Incorporated
Life Sciences

836 North St.
Building 300, Suite 3401
Tewksbury, MA 01876
t 800.492.1110
t 978.442.2200
f 978.442.2476
www.corning.com/lifesciences

ASIA/PACIFIC Australia/New Zealand

t 61 427286832

Chinese Mainland t 86 21 3338 4338 f 86 21 3338 4300

India

t 91 124 4604000 f 91 124 4604099 Japan t 81 3-3586 1996 f 81 3-3586 1291

Korea t 82 2-796-9500 f 82 2-796-9300

Singapore t 65 6572-9740 f 65 6735-2913

Taiwan t 886 2-2716-0338 f 886 2-2516-7500 **EUROPE**CSEurope@corning.com

France t 0800 916 882 f 0800 918 636

Germany t 0800 101 1153 f 0800 101 2427

The Netherlands t 020 655 79 28 f 020 659 76 73

United Kingdom t 0800 376 8660 f 0800 279 1117

All Other European Countries t +31 (0) 206 59 60 51

t+31 (0) 206 59 60 51 f+31 (0) 206 59 76 73

LATIN AMERICA grupoLA@corning.com Brazil

t 55 (11) 3089-7400 **Mexico** t (52-81) 8158-8400