

# Fiber Optic Ferrule, MTP®

The CORNING logo is displayed in white, uppercase letters within a dark blue square.

The heat-cure MTP® connector is a 12-fiber connector that is the same size as the well-known SC connector but provides 12 times the density, making it the ideal solution for high-fiber-count data centers and parallel optical interconnects between servers. This high-density connection replaces 12 single-fiber connections, offering tremendous savings in valuable floor and rack space.

## Features and Benefits

### **Precision guide pins**

High-performance alignment

---

### **Allows for high density**

Saves floor and rack space

---

### **Removable housings**

Easily change pins or clean/repolish ferrule

# Fiber Optic Ferrule, MTP®



## Standards

RoHS	Free of hazardous substances according to RoHS 2011/65/EU
------	---

## Specifications

### General Specifications

Keyed (security)	No
Product Type	Heat Cure Epoxy and Polish Connectors

### Environmental Conditions

Temperature Range, Operation	-40 °C - 80 °C (-40 F - 176 F)
------------------------------	--------------------------------

### Design Connector

Part Number	Connector Type	Housing Color
94-112-MM-MTBP	MTP® (non-pinned)	Black
94-212-SM-MTBP	MTP® (non-pinned)	Black
94-252-SME-MTBP	MTP® (non-pinned)	Black

### Optical Specifications Connector

Part Number	Fiber Category	Insertion Loss, Max.
94-112-MM-MTBP	62.5 µm MM (OM1) / 50 µm MM (OM1/OM2/OM3/OM4/OM4+)	0.6 dB
94-212-SM-MTBP	Single-mode (OS2)	0.75 dB
94-252-SME-MTBP	Single-mode (OS2)	0.35 dB

### Mechanical Specifications - Connector

Durability	< 0.2 dB change, 500 rematings, EIA-455-21A
------------	---

# Fiber Optic Ferrule, MTP®



## Ordering Information

Part Number	Units per Delivery	Package Contents
94-112-MM-MTBP	100/1	100 ferrules, MTP®
94-212-SM-MTBP	100/1	100 ferrules, MTP®
94-252-SME-MTBP	100/1	100 ferrules, MTP®



Corning Optical Communications LLC • 4200 Corning Place • Charlotte, NC • 28216 • United States  
800-743-2675 • FAX: 828-325-5060 • International: +1-828-901-5000 • [www.corning.com/opcomm](http://www.corning.com/opcomm)

A complete listing of the trademarks of Corning Optical Communications is available at [www.corning.com/opcomm/emea/trademarks](http://www.corning.com/opcomm/emea/trademarks). Corning Optical Communications is ISO 9001 and ISO 14001 certified. © 2022 Corning Optical Communications. All rights reserved.